

Medical Materials & Technologies

3M™ Microfluidic Diagnostic Film, 9938 Thin Single-Sided Hydrophilic Film




Product Description:

3M™ Microfluidic Diagnostic 9938 film consists of a transparent polyester film with one side 3M hydrophilic treatment and backside treatment designed to stabilize hydrophilic coating when coiled. The product is designed for use in health care medical devices such as test strip and lab-on-chip applications.

Features and Benefits:

- Hydrophilic
- Transparent
- Non-hemolytic
- Printable
- Non-toxic to mammalian cells
- Dimensionally stable
- Anti-fogging properties

Composition:



- A. Chemical treatment designed to protect and stabilize hydrophilic coating
- B. 100 ± 5µm [3.9 ± 0.2 mil] Transparent Polyester Film
- C. 3M Hydrophilic Treatment

Roll Description:

Roll Length	Maximum 800M (875 yd) ± 2%
Roll Width	Minimum 170 ± 3 mm (6.69 ± 0.12 in); Maximum effective (usable) 1040 ± 3 mm (40.94 ± 0.12 in)
Splices per Roll	Maximum 1 per every 400M (437 yd); up to 2 per 800M (875 yd)

Note: Supplied on 3-in (76 mm) core for slit roll / 6-in (152 mm) core for 1040mm width log-roll.

Product Properties:

Haze	Maximum 4.0%
Light Transmission	85~95%
Tensile Strength	Minimum – 15 kg/mm ² (2.13 x 10 ⁴ lb/in ²) - Machine Direction Minimum – 15 kg/mm ² (2.13 x 10 ⁴ lb/in ²) - Cross Direction
Break Elongation, %	Minimum – 80% - Machine Direction; 80% - Cross Direction
Heat Shrinkage	Maximum – 2.0% - Machine Direction; 0.5% - Cross Direction [150°C for 30 minutes]
Wet Index Value	Minimum – 36

Biocompatibility Testing:

Product 9938 has been subjected to the following safety evaluations.

Study Type	Test Method	Standard	GLP	Results
In vitro cytotoxicity	Cell lysis & cytotoxicity	ISO 10993-5: <= 2	Yes	Reactivity grade: 0
MEM elution	Cell lysis & cytotoxicity	ISO 10993-5: <= 2	Yes	Reactivity grade: 0
Hemolytic Index	Interaction with Blood	ISO 10993-4: < 2%	Yes	Non-Hemolytic (index: 0.0%)
	Test article extract	ISO 10993-4: < 2%	Yes	Non-Hemolytic (index: 0.0%)

Spectroscopy


Integrated Emission Intensity

Samples were compared to known reference materials, quartz slide, borosilicate slide and quinine sulfate was chosen due to its high purity and stability as a fluorescence standard reference material.


Sample	Integrated Emission Intensity/10 ⁶ *
Quartz Slide	14.6
Borosilicate Cover Slide	6.1
3M 9938	503.9
10 ppb quinine in 0.5 N sulfuric acid	82.0

Represents typical value * (λ_{Ex} = 365 nm, λ_{Em} = 450-650 nm)

UV Vis Transmittance Spectra



Average Fluorescence Spectra



Recommended Storage Conditions & Shelf Life:

Product as supplied in original packaging will maintain stated test properties for a period of 24 months from manufacturing date stamped on shipping container when stored at temperatures between 10-27 C (50-80 F) and a relative humidity between 40-60 percent. Keep product in original packaging until use.

Product and Safety Information: User is solely responsible for determining the suitability of 3M samples and products for the intended use including any necessary safety or toxicity assessment. 3M will provide Material Safety Data Sheets or equivalent and summary results of biocompatibility testing upon request. In every case before using any product in full scale production users should conduct their own tests to determine to their own satisfaction whether the product is of acceptable quality and is suitable for their particular purposes under their own operating conditions.

Notice: Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement, or recommendations to practice any invention covered by any patent, without authority from the owners of this patent.

Warranty Information

All statements, technical information and recommendations herein are based on tests 3M believes to be reliable, but the accuracy or completeness thereof is not guaranteed. 3M warrants only that products will meet 3M's specifications at the time of shipment to the customer. 3M does not offer any other warranty and does not warrant the performance, safety, or such other characteristics of products in combination with other materials. 3M specifically DOES NOT warrant products for any intended or unintended uses (whether or not foreseeable); for compatibility or suitability with other components or compatibility with any methods of manufacture or conversion. The foregoing warranty is made in lieu of all other warranties, expressed or implied, including the implied warranties of merchantability, fitness for a particular purpose and freedom from non-infringement.

Limitation of Remedies: If products are proven not to meet 3M's specifications, the sole and exclusive remedy available and 3M's only obligation shall be, at 3M's option, to replace such quantity of Products which are proven out of specification or to refund the purchase price paid for Products.

Limitations of Liabilities: The remedies provided herein are exclusive remedies against 3M for any alleged or actual nonconformance to specifications or defect or other failure in products or for 3M's performance of its supply obligations. Under no circumstances is 3M liable for any direct, indirect, incidental, special or consequential damages (including lost profits) in any way related to the product under any theory of law including, but not limited to, negligence and strict liability.

Ordering Information

To place an order, call our Customer Service at: **800-742-1994 (U.S.)**. For all orders outside the United States, please contact your local country representative or check out **3M.com/MedTechFindaRep** for your region's contact information.

To have a sales representative contact you, to request samples or clinical and safety summaries, please contact us at 3M HELPLINE 800-228-3957 (U.S.) or check out **3M.com/MedTechContactUs** for your region's contact information.

Visit our website: **www.3M.com/MedTech** for product and services information, news, events, new product highlights or to make a direct inquiry.



Medical Materials & Technologies

3M Center, Building 275-5W-05
St. Paul, MN 55144-1000 USA

Phone 1-800-228-3957
Web 3M.com/MedTech

3M is a trademark of 3M.

Please recycle. Printed in U.S.A.

© 3M 2022 All rights reserved.

Effective August 22