



Clinpro™ 5000

Sodium Fluoride 1.1% w/w
Anti-Cavity Toothpaste

Extra protection
... without the
extra work.



Clinpro™ 5000

Sodium Fluoride 1.1% w/w Anti-Cavity Toothpaste

Many factors can increase the risk of tooth decay.

- High sugar and starch diets
- Receding gums
- History of cavities
- Poor oral hygiene
- Orthodontic brackets
- Medications that cause dry mouth

Clinpro 5000 anti-cavity toothpaste helps strengthen teeth to protect them from decay. It contains a mild abrasive that gently removes stains to help clean and whiten your teeth – without interrupting your busy schedule.



Important Patient Information

What is Clinpro™ 5000 toothpaste and what is it used for?

Clinpro 5000 toothpaste is a fluoride toothpaste for use after recommendation by a dentist or healthcare professional, in the prevention of dental caries in high risk patients. It is usually used once a day in place of your conventional toothpaste unless instructed otherwise by your dentist or healthcare professional.

How do I use Clinpro 5000 toothpaste?

Place a pea-sized amount of Clinpro 5000 toothpaste on a soft-bristled toothbrush and brush teeth for at least 2 minutes. After brushing, spit out the toothpaste. Children 6-16 years old should then rinse their mouth thoroughly with water.

For best results, do not eat or drink for 30 minutes after use.

What other information do I need to know about Clinpro 5000 toothpaste?

Clinpro 5000 toothpaste is only available for use after recommendation by a dentist or healthcare professional. Do not use in children under 6 years of age. Do not use Clinpro 5000 toothpaste if you have known allergic reactions or have hypersensitivity to any of the ingredients. If you are pregnant or breastfeeding, speak to your dentist or healthcare professional before use. Please refer to the Consumer Medicine Information document at go.solventum.com/cmi-CP5000 for a full list of ingredients.

Do not swallow Clinpro 5000 toothpaste. If more than a pea-sized amount of Clinpro 5000 toothpaste is swallowed, contact your doctor or the Poisons Information Centre (In Australia 13 11 26, in New Zealand 0800 764 766).

Keep out of reach of children under 6 years of age.

Repeated swallowing of high levels of fluoride may cause chalk-like, lacy markings on teeth (dental fluorosis). For this reason, children with baby teeth (developing dentition) require special supervision to prevent swallowing.


Ask your pharmacist or dental healthcare professional – they must decide if this product is right for you. Always read the label and use only as directed. If symptoms persist, see your pharmacist or dental healthcare professional.

Where should I go for more information about Clinpro 5000 toothpaste?

Talk to your dentist or healthcare professional. Visit go.solventum.com/cmi-CP5000 to download the Consumer Medicines Information on this product.

To be completed by your dentist

Your examination has revealed the following:



Notes:

Brought to you by your dental professional and Solventum.



Order Online

Australia:
Pharmacy Online

New Zealand:
Pharmacy Direct



KCI Medical Australia Pty Limited
Level 3, Building A
1 Rivett Road
North Ryde, NSW 2113
Ph: 1300 363 454

KCI New Zealand Unlimited
Suite 1701, Level 17, PwC Tower
15 Customs Street West,
Auckland Central, Auckland 1010
Ph: 0800 808 182

Always read the label and use only as directed by your dentist or healthcare professional. If symptoms persist see your dentist or healthcare professional. Only available from your dentist or healthcare professional. ©Solventum 2025. Solventum, the S logo and Clinpro are trademarks of Solventum or its affiliates. All other trademarks are the property of their respective owners.