



Protects and minimizes adherence to the wound bed, and provides an antiseptic effect against bacterial organisms (*In-Vitro*)¹⁻⁵

Solventum™ Inadine™ (PVP-I)
Non-Adherent Dressing



What is it?


Inadine (PVP-I) Non-Adherent Dressing is a topical wound dressing made of low adherent viscose fabric impregnated with an ointment containing polyethylene glycol (PEG), purified water and 10% povidone iodine (PVP-I).

Protects and minimizes adherence to the wound bed

Inadine Dressing minimizes adherence to the wound bed, therefore reducing the risk of damage to the granulation tissue at dressing removal, and in clinical practice has been shown to reduce pain for patients.¹⁻³

Has broad spectrum antimicrobial effect (*In-Vitro*)

Povidone Iodine molecule has a broad-spectrum antimicrobial action⁴ and has been proven to be effective against MRSA.^{5,6}



How does it work?

As PVP-I is released from Inadine (PVP-I) Non-Adherent Dressing, the dressing will change colour from orange to white. The colour change provides an indicator of how frequently dressings should be changed, preventing unnecessary dressing changes.⁷



In a clinical evaluation study

90%
of patients

reported no adherence to the wound bed and no pain at dressing change.¹

When to use it

Inadine Dressing is indicated for the management of ulcerative wounds, minor burns and minor traumatic skin loss injuries. Inadine dressing is designed to protect and minimize adherence to the wound bed and provides an antiseptic effect against bacterial organisms.

Clinical studies suggest that Inadine Dressing may also be an appropriate dressing choice in the management of chronic wounds, including:

- ✓ Ulcers deriving from different aetiologies¹
- ✓ Diabetic foot ulcers^{1,8}
- ✓ Pressure ulcers⁴



Inadine Dressing can be used as a primary dressing in combination with other dressings.³



RCT study on partial thickness burns confirms that patients treated with Inadine Dressing require less analgesia and experience faster healing, thus reducing hospital visits and time off work.²

Ordering information

Solventum™ Inadine™ (PVP-I) Non-Adherent Dressing

Catalog code	Dimensions	Eaches/carton/case
P01481	5 x 5 cm	25 dressings per carton, 10 cartons per case
P01491	9.5 x 9.5 cm	10 dressings per carton, 10 cartons per case
P01512	9.5 x 9.5 cm	25 dressings per carton, 10 cartons per case

References

1. Campbell N, Campbell D. Evaluation of a non-adherent, povidone-iodine dressing in a case series of chronic wounds. *J Wound Care*. 2013;22(8):401-402, 404-406.
2. Han KH, Maitra AK. Management of partial skin thickness burn wounds with Inadine dressings. *Burns*. 1989;15(6):399-402.
3. Wilson GR, Fowler C, Ledger J, Thorley M. Evaluation of a new antiseptic dressing in minor burns. *Burns*. 1986;12(7):518-520.
4. Sibbald RG, Elliott JA. The role of Inadine in wound care: a consensus document. *Int Wound J*. 2017;14(2):316-321.
5. *In Vitro* Microbiological Evaluation by Log₁₀ Reduction Test: Silvercel, Silvercel Non-Adherent, Actisorb, Prisma, Inadine (HLS Study Number: FAC0004, 2013)
6. Gordon, J. Clinical significance of methicillin-sensitive and methicillin resistant *Staphylococcus aureus* in UK hospitals and the relevance of povidone iodine in their control. *Postgrad. Med J*. 1993, 69(3):106-116.
7. LeMesurier, A., Sterling, W., Goetti, L., Goetti, K., Keast, D. and Millson. (2009) A case Series evaluating a new PI dressing. Poster presented at CAWC (Canadian Association of Wound Care)
8. Jeffcoate WJ, Price PE, Phillips CJ, et al. Randomised controlled trial of the use of three dressing preparations in the management of chronic ulceration of the foot in diabetes. *Health Technol Assess*. 2009;13(54):1-86, iii-iv.



Solventum Medical Surgical

Phone 800-228-3957
Web Solventum.com

Note: Specific indications, contraindications, warnings, precautions and safety information exist for these products and therapies. Please consult a clinician and product instructions for use prior to application. This material is intended for healthcare professionals.

© Solventum 2025. Solventum and the S logo are trademarks of Solventum or its affiliates. All other trademarks are owned by their respective owners.