



Put the Power of Two to work for you

The strengths of 3M™ Kerramax Care™ Super-Absorbent Dressing and 3M™ Coban™ 2 Two-Layer Compression System can help you manage venous leg ulcers (VLU)



A combination your patients can count on

The combination of 3M™ Kerramax Care™ Dressing and 3M™ Coban™ 2 Two-Layer Compression System is designed to help clinicians and patients with the management of VLUs. The low profile of Kerramax Care Dressing and its ability to absorb and retain exudate even under compression, makes it a great partner with compression therapy.^{1,2} The Coban 2 Compression System is a two-layer compression bandage system that is designed to deliver therapeutic compression required for treating patients with VLUs.³

Wounds International recently published eight case studies evaluating the clinical performance of Kerramax Care Dressing and Coban 2 Compression System. Outcomes show that patients with VLUs being treated in different care settings were satisfied with the combined treatment. It was reported that Kerramax Care Dressing stayed in place during wear time under compression, retained exudate and no strikethrough or leakage was observed.¹

1 3M™ Kerramax Care™ Super-Absorbent Dressing



3M™ Kerramax Care™ Super-Absorbent Dressing

Chronic, highly exuding wounds are difficult for both clinician and patient. Excess fluid can make achieving an optimum moisture balance difficult and can lead to maceration.

Kerramax Care Dressing with advanced Exu-Safe™ Technology absorbs and retains high levels of serous and viscous fluid helping to keep it in the dressing core to reduce the risk of skin maceration even under compression.^{1,4}

The high absorption and retention of Kerramax Care Dressing can enable fewer dressing changes and minimise disturbance to the wound bed.^{4,5}

A positive patient experience can lead to reduced stress and anxiety when dealing with chronic wounds, which can help to reduce pain and improve patient compliance with treatment. Kerramax Care Dressing is designed for patient comfort.^{4,5}

70%
of patients



Scored the dressing between 8-10 highlighting a **high level of comfort and positive patient experience.**⁴

90%
happy to continue



90% of responses indicated they would be happy to continue using Kerramax Care Dressings as their first choice for the management of highly exuding wounds.⁴

Key benefits



Absorbs and retains high levels of exudate^{4,5}



Low profile, soft, conformable and foldable²



Helps to sequester bacteria and MMPs to the dressing cores^{6*}



Easy to apply (using either side)



Can be used under compression⁵



Can be left in place for seven days

*As demonstrated *in vitro*, the clinical relevance has not been investigated



Venous leg ulcers affect 1% to 2% of the population, with the prevalence increasing $\leq 4\%$ for those aged >65 years.⁷

A monthly surface area reduction of

30% 

provides a baseline healing rate for VLUs managed with compression therapy and advanced dressings.⁸

2 3M™ Coban™ 2 Two-Layer Compression System and 3M™ Coban™ 2 Lite Two-Layer Compression System



3M™ Coban™ 2
Two-Layer Compression System

The Coban 2 Compression System and Coban 2 Lite Compression System provide effective compression therapy, provides effective compression therapy, which has been shown to contribute to effective VLU management through oedema reduction, decreased pain and improvement in a patient's daily activities.^{9,10,11}

Coban 2 Compression System is easy to apply and remove, is designed to stay in place^{9,10} and allows for normal footwear, increasing patient compliance and the potential for more effective treatment.^{9,11}

49%

of VLUs can be healed by compression¹²



Coban 2 Compression System is also effective at reducing lymphoedema and chronic oedema



Key benefits



Fast and easy applications



Therapeutic compression that stays in place



Comfortable to improve patient compliance



Not made with natural rubber latex



Conforms to patient anatomy



Provides consistent compression



Helps enable a more normal lifestyle

Product ordering information

3M™ Kerramax Care™ Super-Absorbent Dressing

Item code	Size	Items/box	NHSSC code	Drug Tariff
3M™ Kerramax Care™ Super-Absorbent Dressing				
PRD500-025	5 cm x 5 cm	10	EME120	398-0778
PRD500-050	10 cm x 10 cm	10	EME045	352-3446
PRD500-100	13.5 cm x 15.5 cm	10	TBC	403-2793
PRD500-120	10 cm x 22 cm	10	EME023	342-3308
PRD500-240	20 cm x 22 cm	10	EME024	342-3290
PRD500-380-B10	20 cm x 30 cm	10	EME131	352-3453
PRD500-600-B10	20 cm x 50 cm	10	EMA040	398-0786
3M™ Kerramax Care™ Border Dressing				
CWL1000	16 cm x 16 cm	5	EME078	379-1977
CWL1001	16 cm x 26 cm	5	EME079	379-2124
CWL1002	26 cm x 26 cm	5	EME080	379-2132

*As demonstrated *in vitro*, the clinical relevance has not been investigated.

3M™ Coban™ 2 Two-Layer Compression System and 3M™ Coban™ Lite Two-Layer Compression System

Coban 2 Compression System, with the purple core and packaging, provides high compression and is ideal for treating the majority of patients with ABPI greater than or equal to 0.8. Coban 2 Lite Compression System, with the green core and packaging, provides a reduced resting pressure compared to Coban 2 Compression System. Designed for those limbs with small circumferences (e.g. fingers, arms, toes), for patients less tolerant of compression therapy, including those who have mixed aetiology, are new to compression or where tolerance is not known. Suitable for ABPI 0.5 and above.

Application/use	Description	Item code	Comfort layer (1) size	Rolls/box	NHSSC code	Drug Tariff
			Compression layer (2) size			
Below the knee (ABI ≥0.8)	Coban 2 Compression System for patients with ABPI ≥ 0.8	2094	Layer 1: 10 cm x 2.7 m	2	ECA136	322-3062
			Layer 2: 10 cm x 3.5 m			
Below the knee (ABI ≥0.5)	Coban 2 Lite Compression System for patients with ABPI ≥ 0.5	2794E	Layer 1: 10 cm x 2.7 m	2	ECA203	355-1439
			Layer 2: 10 cm x 3.2 m			
Below the knee (lg. circumference) (ABPI ≥0.8)	Coban 2 Compression System for patients with ABPI ≥ 0.8	2094XL	Layer 1: 10 cm x 3.5 m	2	ECA449	409-8158
			Layer 2: 10 cm x 4.5 m			
Toe boot	Coban 2 Compression System for patients with ABPI ≥ 0.8	2092	Layer 1: 5 cm x 1.2 m	2	ECA448	410-1226
			Layer 2: 5 cm x 2.7 m			

NOTE: Specific indications, contraindications, warnings, precautions and safety information exist for these products and therapies. Please consult a clinician and product instructions for Use prior to application. This material is intended for health care professionals.

References:

- Hughes, M A, et al. 3M™ Kerramax Care™ Super Absorbent Dressing and 3M™ Coban™ 2 Two-Layer Compression System case series supplement. *Wounds International* (2022), London, UK.
- Jackson S, Lovett J, Stephenson C. An assessment of the conformability of superabsorbent dressings. Poster presented at: *Wounds UK Annual Conference* 2016, UK.
- Vowden P, Kerr A, Mosti G. Demystifying mild, moderate and high compression systems -when and how to introduce "lighter" compression. Position document *Wounds International*. Nov 2020.
- Hughes, M. A large-scale evaluation of managing moderate and highly exuding wounds in the community. *Wounds UK*. 2017;13(3):78-85.
- Jones J, Barraud J. An evaluation of Kerramax Care in the management of moderate to heavily exuding wounds. *Br J Community Nurs*. 2014 Mar; Suppl: S8, S50-53
- Singh G, Byrne C, Thomason H, McBain A. Investigating the microbial and metalloprotease sequestration properties of superabsorbent wound dressings. *Sci Rep*. 2022; 12 (1): 4747
- Schul MW, Melin MM, Keaton TJ. Venous leg ulcers and prevalence of surgically correctable reflux disease in a national registry. *J Vasc Surg Venous Lymphat Disord*. 2023 May;11(3):511-516. doi: 10.1016/j.jvsv.2022.11.005. Epub 2023 Jan 19. PMID: 36681297.
- Rajhathy, Erin M.; Murray, Heather D.; Roberge, Veronica A.; Woo, Kevin Y. Healing Rates of Venous Leg Ulcers Managed With Compression Therapy: A Secondary Analysis of Data. *Journal of Wound, Ostomy and Continence Nursing* 47(5):p 477-483, September/October 2020. | DOI: 10.1097/WON.0000000000000693
- Mosti G, Crespi A, Mattaliano V: Comparison Between a New, Two-component Compression System With Zinc Paste Bandages for Leg Ulcer Healing: A Prospective, Multicenter, Randomized, Controlled Trial Monitoring Sub-bandage Pressures *WOUNDS* 2011;23(5):126-134
- Moffatt C. et al: A preliminary randomized controlled study to determine the application frequency of a new lymphoedema bandaging system, *British Journal of Dermatology*, Volume 166, Issue 3, March 2012, Pages 624-632
- Moffatt C et al.: A randomised controlled 8-week crossover clinical evaluation of the 3M™ Coban™ 2 Layer Compression System versus Profore™ to evaluate the product performance in patients with venous leg ulcers
- Guest JF, Fuller GW. Relative cost-effectiveness of three compression bandages in treating newly diagnosed venous leg ulcers in the UK. *J Wound Care*. 2023 Mar 2;32(3):146-158.



KCI Medical Limited
Chamwood Campus
10 Bakewell Road
Loughborough
LE11 5RB
01509 611 611

3M Healthcare EMEA Export Limited
2 Cumberland Place
Fenian Street, Dublin 2,
Ireland, D02 H0V5
+3531-5740700
1 800 333 377

Contact your local Solventum representative for education and visit our website for more information.

Solventum, formerly 3M Health Care

©Solventum 2024. Solventum, the S logo, Kerramax Care and Coban are trademarks of Solventum or its affiliates. 3M and the 3M logo are trademarks of 3M. Other trademarks are the property of their respective owners. All Rights Reserved. UK_EN_70-2013-1733-9

View case studies

to see how these products provide optimal environments for managing VLUs:

